

Sumitronics WEB C3 Label Printing Service Quick Guide

Dear Sirs;

We are pleased to introduce Sumitronics WEB C3 Label Printing Service.

1. User Registration Application


Please fill in User ID Application Form and send to us. (Each STX branch person in charge)
After we receive your application, we will issue User ID and Password for this service.

2. Quick User Guide

1) URL: <http://webc3label.sumitronics.com.hk/>

2) Log In

Please input your User ID and Password and log in



Welcome to SUMITRONICS WEB C3 Label Printing Service


Please input your user id and password

User Id

Password

Best view with ie7.0 with resolution 1024x768.

4) C3 Label data entry



LCPC3L - Print C3 Label (Adobe Acrobat Reader)(User ID : SA) 11/2/2008 7:42:28 AM

Label Type ☒ 4f ☐ 3d ☐ 3e

No	Item Code	Qty	Lot No	Maker Part No	Country of Origin	Supplier (for 3d and 3e)	RoHS	Label Qty	
1	21012345	1000	L1234	AAA0123	JAPAN		<input checked="" type="radio"/> Ok <input type="radio"/> NG	3	<input type="button" value="Remove"/>
2	20098765	5000	M9876A0000	BB98765	CHINA		<input checked="" type="radio"/> Ok <input type="radio"/> NG	2	<input type="button" value="Remove"/>
3	3039005M001	4000	V23456	CC5678	SINGAPORE		<input checked="" type="radio"/> Ok <input type="radio"/> NG	5	<input type="button" value="Remove"/>
4							<input checked="" type="radio"/> Ok <input type="radio"/> NG		<input type="button" value="Remove"/>
5							<input checked="" type="radio"/> Ok <input type="radio"/> NG		<input type="button" value="Remove"/>
								Total (Maximum 10)	10

After log in, you can see the above entry screen.

Please refer to our document for C3 Label Format, too.

Please select 4f Label Type for Sumitronics standard C3 Label.

- (1) Item Code: Item Name / Part No. on Purchase Order (Customer's P/N)
- (2) Qty: Quantity in standard package
- (3) Lot No, Serial No. : Information for Quality Trace
- (4) Manufacturer P/N, Maker P/N
- (5) Country of Origin: In English letters C/O: Made in xxxxxxxx
- (6) Vender Code: Not required incase of 4f Label Type (You can not put data when you select 4f type).
- (7) RoHS compliant marking, default is Ok. (If NG, please check NG)
(If you are planning to deliver RoHS NG product, please inform Sumitronics before you deliver NG item.)
- (8) Label Qty: You can generate 5 kinds of C3 label in one sheet (A4 Size)
and allocate these C3 labels maximum 10 pieces per sheet.
You can put 1-10 into this column, but total should be within 10.

When you complete data entry, please click " Preview".

- NOTE -

C3 Label uses CODE39 Barcode format. CODE39 can use limited characters as follows.


You can not use ", #, (,), and other characters not shown in the following list.


However, you can not use SPACE for C3 Label Data Field.


C3 Label format specification does not allow to use SPACE, because SPACE is Data separator.

No	Char	No	Char	No	Char	No	Char	No	Char
0	0	10	A	20	K	30	U	40	/
1	1	11	B	21	L	31	V	41	+
2	2	12	C	22	M	32	W	42	%
3	3	13	D	23	N	33	X	(43)	* Start/Stop
4	4	14	E	24	O	34	Y		
5	5	15	F	25	P	35	Z		
6	6	16	G	26	Q	36	-		
7	7	17	H	27	R	37	.		
8	8	18	I	28	S	38	SPACE		
9	9	19	J	29	T	39	\$		

ITEM CODE : 201234567890
 QTY: 10,000 pcs LOT No. L123456789

(3N1) 201234567890


(3N2) 10000 L123456789


(1P) PN1234567890


RoHS Compliant
 C/O: Made in Japan

Part No. : PN1234567890 [EIAJ-C3]

*	3N	1	ITEM CODE (Customer Code)				*	
MAX 25								
*	3N	2	SP	QTY	SP	LOT No	SP	*
MAX 7				MAX 12				
*	1P	Maker Part No				*		
MAX 50								


Sample: JEITA Pattern 4 f. Two Barcode line for (1) and (2), (3) and one for (5)

SPACE is Data separator.

After you click "Preview", and wait for a while, you can see following screen.

Please save as PDF file, and print it by laser printer.

Then cut into pieces and put on package for your product box by box.



- NOTE -

Please do not use Inkjet Printer, please use Laser Printer (Page Printer)

We will recommend you to use A4 size Blank Label paper, so that you can put label quickly.

If you have any questions for this issue, please contact person in charge at each STX branch.